UNITED ORTHOPEDIC.	Document #: FR-03-00200 Revision: B	Effective Date: 07/10/2023	Page: 1 of 6
CONFIDENTIAL	Title: Inventory Request For	rm-Limb Salvage Products	



UNITED ORTHOPEDIC. INVENTORY REQUEST FORM – Limb Salvage Products

Agent Name			Request	Date (MM/D	D/YYYY)	
RSM Name				Date (MM/D		
			L			
		nsignment*	If Loaner Date of S		DD/YYYY)	
Surgeon Name			Facility N			
Reason		☐ Initial Consign	ment 🗆 Surgery In	crease 🗆 N	lew Custon	ner 🗆 Other
List Other Reas	son					
Ship To		☐ Agent Office [tv □ FedEx H	IFP	
Shipping Meth	od		Day □ 2 Day □ STD O	<u>. </u>		I □ SAT
Address Line 1			<u> </u>			
Address Line 2						
City, State, ZIP						
*Policy Notice:	Consigi	nment requests ai	re subject to approva	l. Initial Cons	ignments r	equire meeting Inventory
Turn's Schedule	e of 1 tu	ırn within 1 st 30 d	ays of receipt, 2 turns	s within 60 do	ays, and 3 t	urns within 90 days, or
shall be treated	d as Loa	ner. Consignment	t increase requires m	inimum 3 tur	ns per mon	th.
Projected		USTARII HINGE K	NEE & LIMB SALVAGE	SYSTEM INS	TRUMENT S	SETS
Surgeries/Mont	h (For					
consignment on	ıly)					
Standard Instru	uments			Total Sets		Comments
_		• .	m (USTARII Tray #1,			
		11, 12, 13, and 14)				
U2 PSA Tray #7	(IM can	al referencing 4-in	ı-1 block tray)			
Additional Opt	ions					
USTARII Tray #	15 (Fem	oral Stem Prep +1	9mm diameter)			
U2 Primary Kne	e Inset	Patella Instrument	Set			
U2 Primary Kne	e Onset	Patella Instrumen	nt Set			
UMOTION Femoral Head Trial Tray						
(UMOTION Tray	•	•				
•		e Reamer Tray #3				
(Flexible reame	r set)					
REQ FORM #		MNGR AI	PPRPU	JLLED BY_		AUDITOR

FR-02-00200 Rev B


UNITED ORTHOPEDIC.	Document #: FR-03-00200 Revision: B	Effective Date: 07/10/2023	Page: 2 of 6
CONFIDENTIAL	Title: Inventory Request For	rm-Limb Salvage Products	

USTARII HINGE KNEE & LIMB SALVAGE SYSTEM IMPLANT BANKS

Attention!!! Implant kits come with one of each size per bank unless otherwise noted. If two of each size is required, please place a X2 in the Total Banks column.


required, please place a X2 in the Total Banks column.				
Implants (Underlined	Means Special Order Only)	Notes	Total Banks	Comments:
Proximal Femoral	Trochanteric and Low Profile (Left and	1 size only		
(PFR) Component	Right)			
Trocanteric Claw	Small and Large options			
Distal Femoral		1 size only		
(DFR) Component	Standard (Left and Right)			
Proximal Tibial		1 size only		
(PTR) Component	Standard			
Segment	25, 30, 40, 50, 60, 70, 80, 90, 100, 110,			
Component	120, 130, 140 and 150mm options			
(For PFR, DFR, and	160, 170, 180, 190, 200, 210 and 220mm			
PTR Components)	options			
Bridge Component				
(For Total Femur)	80mm option			
Straight Cemented	Ø09mm – 100 and 125mm length			
Stem	Ø11mm – 100 and 125mm length			
(For PFR, DFR, and	Ø13mm – 100 and 125mm length			
PTR Components)	Ø15mm – 100 and 125mm length			
	Ø17mm – 100 and 125mm length			
Curved Cemented	Ø09mm – 125 and 150mm length			
Stem	Ø11mm – 125 and 150mm length			
(For PFR, DFR, and	Ø13mm – 125 and 150mm length			
PTR Components)	Ø15mm – 125 and 150mm length			
	Ø17mm – 125 and 150mm length			
Straight Non-	Ø09mm – 100 and 125mm length			
Coated Cemented	Ø11mm – 100 and 125mm length			
Stem	Ø13mm – 100 and 125mm length			
(For PFR, DFR, and	Ø15mm – 100 and 125mm length			
PTR Components)	Ø17mm – 100 and 125mm length			
Curved Non-Coated	Ø09mm – 125 and 150mm length			
Cemented Stem	Ø11mm – 125 and 150mm length			
(For PFR, DFR, and	Ø13mm – 125 and 150mm length			
PTR Components)	J			
	Ø15mm – 125 and 150mm length			
	Ø17mm – 125 and 150mm length			

REQ FORM #	MNGR APPR	PULLED BY	AUDITOR	
			ED 00 00000 D	



Straight Full-Coated	Ø11mm – 150 and 200mm length		
Cementless Stem			
	Ø13mm – 150 and 200mm length		
(For PFR, DFR, and	Ø15mm – 150 and 200mm length		
PTR Components)	Ø17mm – 150 and 200mm length		
Curved Full-Coated	<u>Ø11mm – 150 and 200mm length</u>		
Cementless Stem	<u>Ø13mm – 150 and 200mm length</u>		
(For PFR, DFR, and	<u>Ø15mm – 150 and 200mm length</u>		
PTR Components)	<u>Ø17mm – 150 and 200mm length</u>		
USTARII Hinge			
Femoral	Hinge Cemented (Sz 1-6, Left and Right)		
Components	– only available in whole sizes		
USTARII Hinge Tibial	Hinge Cemented (Sz 1-6) – only available		
Baseplates	in whole sizes		
USTARII Hinge Tibial	XPE - (Sz Small, Medium) - 12, 14, 17, 20,		
Inserts	23, 26, and 30mm options		
Patella	XPE - Onset – 26mm,29mm, 32mm,	Same as U2 and	
	35mm, 38mm, & 41mm	PSA	
	XPE - Inset. – 22mm, 25mm, 28mm &	Same as U2 and	
	32mm	PSA	
	EXPE -Onset – 26mm,29mm, 32mm,	Same as U2 and	
	35mm, 38mm, & 41mm	PSA	
Femoral Augments			
ū	Distal (Size 1-6) - 4mm LM/RL, 4mm		
	RM/LL, 8mm LM/RL, 8mm RM/LL	1 each	
		Same as PSA.	
	Distal (Size 1-6) - 12mm and 16mm	Each bank	
	Distar (Size 1 0) 12mm and 10mm	comes with 2 of	
	Posterior (Size 1-6) - 4mm, and 8mm	each size item.	
Hinge Tibial		Not compatible	
Augments		with PSA Hinge	
	(Size 1-6) - 5mm, and 10mm	5mm and 10mm	
		options comes	
	(Size 1-6) - 15mm LM/RL, and 15mm	with 2 of each	
	LL/RM	size item.	
Offset Adaptor		Same as PSA	
(For USTARII Hinge		Femur and Tibial	
Femur Only)	2, 4, and 6mm offset	Baseplate.	
Femoral Screw		Same as PSA	
	M5 x 14mm	2 each	
Straight Stems (For	Ø10mm – 75,100, and 150mm length	Same as PSA	
USTARII Hinge	Ø12mm – 75,100, and 150mm length	Femur and Tibial	
Femur Only)	Ø14mm – 30, 75,100, and 150mm length	Baseplate.	
	Ø16mm – 75,100, and 150mm length	20000000	
	Ø18mm – 75,100, and 150mm length		
	, , , , , , , , , , , , , , , , , , ,		

REQ FORM #	MNGR APPR	PULLED BY	AUDITOR
			ED 02 00200 D E



Curved Stems (For	Ø10mm – 150mm length	Same as PSA	
USTARII Hinge	Ø12mm – 150mm length	Femur and Tibial	
Femur Only)	Ø14mm – 150mm length	Baseplate.	
,,	Ø16mm – 150mm length	'	
	Ø18mm – 150mm length		
Large Diameter	Ø20mm – 75,100 and 150mm length	Same as PSA	
Straight and Curved	straight stem	Femur and Tibial	
Stems	<u>Ø22mm – 75,100 and 150mm length</u>	Baseplate.	
(For USTARII Hinge	straight stem		
Femur Only)	<u>Ø24mm – 75,100 and 150mm length</u>		
	straight stem		
	Ø20mm – 150mm length curved stem		
	Ø22mm – 150mm length curved stem		
	Ø24mm – 150mm length curved stem		
Long Length	Ø10mm – 200mm length straight stem		
Straight and Curved	Ø12mm – 200mm length straight stem		
Stems	<u>Ø14mm – 200mm length straight stem</u>		
(For USTARII Hinge	<u>Ø16mm – 200mm length straight stem</u>		
Femur Only)	<u>Ø18mm – 200mm length straight stem</u>		
	<u>Ø20mm – 200mm length straight stem</u>		
	<u>Ø22mm – 200mm length straight stem</u>		
	Ø10mm – 200mm length curved stem		
	Ø12mm – 200mm length curved stem		
	Ø14mm – 200mm length curved stem		
	Ø16mm – 200mm length curved stem		
	Ø18mm – 200mm length curved stem		
	Ø20mm - 200mm length curved stem		
	Ø22mm - 200mm length curved stem		
Cemented Tibial			
Stems			
(For USTARII Hinge			
<u>Tibial Baseplate</u>			
Only)	Ø9mm – 20,45,70, and 95mm length		
Press-Fit Tibial			
Stems			
(For USTARII Hinge	dan		
<u>Tibial Baseplate</u>	Ø12.5mm – 45,70,95, and 120mm length		
Only)	Ø14mm – 45,70,95, and 120mm length		
UMOTION	22 mm (+1, +3, and +5)		
	28 mm (-2.5, +1, & +4)		

REQ FORM #	MNGR APPR	PULLED BY	AUDITOR
			FR-02-00200 Rev B

UNITED ORTHOPEDIC.	Document #: FR-03-00200 Revision: B	Effective Date: 07/10/2023	Page: 5 of 6
CONFIDENTIAL	Title: Inventory Request For	rm-Limb Salvage Products	

Ceramic Head	32 mm (-3, +1, +5, & +9)		
	36 mm (-3, +1, +5, & +9)		
	40 mm (-3, +1, +5 and +9)		
UMOTION	22mm (+0, +3, +6 and +9)		
Metal Head	26mm (+0, +3, +6 and +9)		
	28mm (-3,+0, +2.5, +5,+ 7.5 and +10)		
	32 mm (-3,+0, +2.5, +5,+ 7.5 and +10)		
	36 mm (-3,+0, +2.5, +5,+ 7.5 and +10)		
Cement Restrictor	8 C – 12/9mm Flange Diameter		
	(Up/Down) 10 C – 14/11mm Flange Diameter		
	(Up/Down) 12 C – 16/13mm Flange Diameter		
	(Up/Down) 14 C – 18/15mm Flange Diameter		
	(Up/Down) 16 C – 20/17mm Flange Diameter		
	(Up/Down) 18 C – 22/19mm Flange Diameter (Up/Down)		

EXTRA-SMALL (XS) USTARII LIMB SALVAGE INSTRUMENT SETS (DFR and PTR Option Only)

Projected	
Surgeries/Month (For	
consignment only)	

Standard Instruments	Total Sets	Comments
USTARII Tray # 16 (XS / #0 Tibial prep)		
USTARII Tray # 17 (XS / #0 Femoral prep)		
Note – All Standard Limb Salvage System Instruments are also required.		

EXTRA-SMALL (XS) USTARII LIMB SALVAGE IMPLANT BANKS (DFR and PTR Option Only)

Attention!!! Implant kits come with one of each size per bank unless otherwise noted. If two of each size is required, please place a X2 in the Total Banks column.

REQ FORM #	MNGR APPR	PULLED BY	AUDITOR
			FR-02-00200 Rev B

UNITED ORTHOPEDIC.	Document #: FR-03-00200 Revision: B	Effective Date: 07/10/2023	Page: 6 of 6	
CONFIDENTIAL	Title: Inventory Request Form-Limb Salvage Products			

Implants (Underlined Me	eans Special Order Only)	Notes	Total Banks	Comments:
Distal	Extra Small-XS (Left and Right)	1 size only,		
Femoral		Requires XS		
(DFR)		<u>Instruments</u>		
Component				
Proximal	Extra Small-XS	1 size only,		
Tibial (PTR)		Requires XS		
Component		<u>Instruments</u>		
Hinge Femur	Hinge Cemented (Sz 0/XS, Left	1 size only,		
	and Right)	Requires XS		
		<u>Instruments</u>		
Hinge Tibial	Hinge Cemented (Sz 0/XS)	1 size only,		
Baseplate		Requires XS		
		<u>Instruments</u>		
Insert	XPE - (Sz 0/XS) - 12mm option	1 size only,		
		Requires XS		
		<u>Instruments</u>		

IMPORTANT NOTE – All Standard Limb Salvage System Oncology Stem, Segment and Hinge Tibial Stem implant options are also required with the Extra-Small (XS) Implant System. Please order these implant items also.

UOC Comments:			

DEO EODM II	MALCO ADDD	DITTED DV	ATIDITOD
REO FORM #	MNGR APPR	PULLED BY	AUDITOR
TEL		T CEEED D T	110211011